

Remarks/Arguments

Claims 1-12 are pending.

Objection to claims 1-12 under 35 USC 112, second paragraph

Applicants submit that the objections to claims 1-12 under 35 USC 112, second paragraph are overcome in view of the amendment to the claims.

Regarding claim 1, the claim has been amended to recite "... using a function based on at least a serial number..." Also, the term "writing" has been replaced with "recording."

Regarding claim 2, the phrase "in an unfalsifiable manner" has been deleted.

Regarding claims 3 and 12, the phrase "low probability of being common to two media" has been deleted.

Regarding claim 4, the phrases "such as DES" and "such as RSA" have been deleted.

Regarding claim 7, the claim has been amended to recite "recording on said medium the formatted digital data" thereby clearly reciting that the formatted digital data is being recorded.

Applicants have also attempted to amend the claims to overcome any remaining formality objections, including correcting grammatical errors and removing unnecessary wording. Applicants submit that the amended claims now clearly and distinctly recite the subject matter that applicants regard as their invention. No new matter is believed to be added by the present amendments.


Rejection of claims 1-12 under 35 USC 102(b) as being anticipated by Söhne et al (US 6,397,333B1)

Responsive to the rejection of claims 1-12 under 35 USC 102(b) as being anticipated by Söhne, applicants have attached herewith a Declaration under 37 CFR 1.131 showing that the date of invention is at least October 6, 1998. The filing date of Söhne is October 7, 1998. In view of the above, applicants submit that Söhne is not a valid prior art reference under 35 USC 102 (6) against the present invention.

Having fully addressed the Examiner's rejections it is believed that, in view of the preceding amendments and remarks, this application stands in condition for allowance. Accordingly then, reconsideration and allowance are respectfully solicited. If, however, the Examiner is of the opinion that such action cannot be taken, the

Examiner is invited to contact the applicant's attorney at (609) 734-6815, so that a mutually convenient date and time for a telephonic interview may be scheduled.

Respectfully submitted,


By: Kuniyuki Akiyama
Attorney for Applicants
Reg. No. 43,314
Phone (609) 734-6801


Patent Operations
THOMSON Licensing, Inc.
P.O. Box 5312
Princeton, New Jersey 08543-5312
June 23, 2004

CERTIFICATE OF MAILING

I hereby certify that this amendment is being deposited with the United States Postal Service as First Class Mail, postage prepaid, in an envelope addressed to the Commissioner for Patents, Alexandria, VA 22313 on:

Date

June 23, 2004


Eliza Buchalczyk

- 1 -

09/807,697

PF980072

Substitute specification - Marked up copy

COPY METHOD PREVENTING BIT-TO-BIT DUPLICATION
OF DIGITAL DATA AND READING DEVICE FOR
IMPLEMENTING SAME

5 This application claims the benefit of French
application serial no. 98/13074 filed October 19, 1998,
and which claims the benefit under 35 U.S.C. § 365 of
International Application PCT/FR99/02425, filed October
11, 1999, which was published in accordance with PCT
10 Article 21(2) on April 27, 2000 in French.

 The present invention relates to a method of
copying which ~~avoids~~ the prevents bit-by-bit
duplication of digital data arising from a first source
on a medium. It also relates to a device used to
15 implement this method.

 Digital data exhibit the property of being able
to be copied without appreciable loss of quality.
Indeed, copying consists in transmitting a series of
binary information, namely "1"s and "0"s from the
20 source to the recorder device. The errors which
customarily occur during copying are easily corrected
by using well known error correction methods. Thus,
when an information medium or a data source contains
digital data, it is relatively simple to record them
25 identically on a recordable medium.

 To protect digital data against illicit
copying, various methods are used.

 Usually, the supplier furnishes the digital
data medium such as the diskette in the case of
30 software, with a mark preventing any copying.

 In the document EP-A-0 773 490, there is
proposed a system for protecting the information stored
in recording media, in which system each medium
comprises an identifier.

35 Another way of protecting digital data against
copying consists in endowing them with a watermark or
"tattoo", that is to say with auxiliary data tied to

the digital data. The watermark must be non-modifiable and non-erasable. In this case, the reading of the data is done with the aid of a private key which identifies the watermark. Should there be any copying of the watermarked digital data, a private key is required to put the watermark back in place on the copy, without which the copy becomes illegal, ~~being~~ as it is devoid of watermark. The digital data copied without watermark are no longer read by the reader since the latter does not identify the watermark where it ought to find one. Thus, the watermark precludes any copying without the private key.

These known methods of protecting copies are in general effective when the medium is processed by compliant reading or recording apparatuses. However, these methods do not ~~avoid~~ prevent duplication by a pirate who creates a double or clone which is as similar as possible to the original by carrying out what is termed bit-by-bit copying.

The aim of the present invention is to propose a method of copying which ~~avoids~~ prevents unauthorized duplication of digital data arising from a first source on a medium, this method ~~precluding~~ preventing bit-by-bit copying of the digital information.

The aim of the present invention is also to provide a reading device comprising circuits allowing the implementation of said method.

Accordingly, the subject of the present invention is a method of copying which ~~avoids~~ prevents bit-by-bit duplication of digital data arising from a source of digital data on a medium. According to the invention, the method comprises a step of formatting the digital data arising from said source of digital data as a function of a serial number contained in said medium and a step of writing said formatted data onto said medium.

According to a preferred embodiment, the serial number is recorded in an unfalsifiable manner on the medium during its manufacture. For maximum ~~avoidance~~

prevention of any pirating, the serial number is a unique number for each medium or exhibits a low probability of being common to two media.

Furthermore, the formatting of the digital data to be duplicated is carried out using a secret-key encryption algorithm such as DES or a public-key algorithm such as RSA, the encryption key being dependent on the serial number.

Preferably, the encryption key is moreover dependent upon a secret parameter which is contained in any reading device adapted for reading the digital data arising from said data source.

The present invention also relates to a method of copying which ~~avoids~~ prevents bit-by-bit duplication of digital data read by a reading device and copied onto a medium, characterized in that the medium comprises a serial number and in that the method of copying comprises the following steps:

- sending of the serial number recorded on the medium to the reading device,
- formatting of the digital data read with the aid of the serial number, and
- recording on said medium of the formatted digital data.

According to a preferred embodiment, the formatting step is carried out in the reading device. Said reading device furthermore comprises means for making it possible to read the medium containing the formatted digital data.

According to a further characteristic of the method in accordance with the present invention, before performing the duplication of the digital data, the method comprises a step of checking authorization to copy.

The present invention also relates to a reading device allowing the implementation of the said methods of copying described hereinabove. According to this aspect of the invention, the device comprises a formatting circuit adapted for receiving the serial number of the medium onto which the digital data are to

be copied and providing, as output, formatted data which are dependent on said serial number and are intended to be copied onto said medium.

The invention also relates, according to
5 another aspect, to a recording medium for digital data comprising a serial number which is unique or exhibits a low probability of being common with that of another medium, characterized in that it furthermore comprises recorded digital data, said digital data being
10 formatted as a function of said serial number and of a secret parameter.

Other characteristics and advantages of the present invention will become apparent on reading the description of a preferred embodiment given with
15 reference to the herein-appended drawing in which:

Figure 1 is a diagrammatic view in block form of a reading device and of a recorder device allowing the copying of digital data from a first medium onto a second medium.

20 The present invention will be described whilst referring to the reading of digital data recorded on a digital medium such as a DVD standing for Digital Versatile Disc and copied onto a second virgin medium likewise consisting of a DVD which in this case must be
25 recordable, namely a DVD-R. However, it is obvious to the person skilled in the art that other sources of digital information may be used, in particular digital information arising from a decoder and sent by a "broadcaster" or digital information stored on media
30 such as a magnetic tape, a recordable or non-recordable optical disc, namely a CD, a CD-R, CD-RW, DVD, DVD-R, a magneto-optical disc or the like. The recording medium consists of a recordable magnetic tape, a CD-R, a CD-RW, a DVD-R or a magneto-optical disc allowing storage
35 of the audio and/or video information in digital form.

As represented in figure 1, the method of copying in accordance with the present invention makes it possible to copy the digital information D recorded on a DVD 1 by using a reading device 2 furnished with a
40 formatting circuit 3 and the data FD which may be

5 duplicated are recorded on a DVD-R 4 inserted into a recorder device 5.

10 In accordance with the present invention, the DVD-R 4 consisting of a virgin DVD-R comprises a serial number which is recorded in an unfalsifiable manner during the manufacture of the DVD-R. This serial number which is chosen in such a way as to be unique or to exhibit a very low probability of being present on two different media, is stored in a concealed area of the disc, such as the area entitled the "lead-in area", namely the track lead-in. As explained in greater detail hereinbelow, this serial number is used to format the digital data read from the original DVD 1.

15 In accordance with the method claimed in the present invention, the data read on the DVD 1 by the reading device 2 are sent to a formatting circuit 3 which carries out a formatting of the data by using the serial number read on the virgin DVD-R. Data FD formatted in a specific manner are thus obtained at the output of the reading device and are sent to the recorder device 5 where they are recorded on the DVD-R 4.

25 To carry out a formatting of the data such that the data recorded on the DVD-R cannot be copied bit-by-bit but can however be read back subsequently by the reading device, namely to make a so-called licit copy, various formatting processes may be used. One of the conventional formatting processes is a secret-key encryption algorithm such as DES standing for "Data Encryption Standard" which is well known to specialists. To ~~avoid~~ prevent any copying by a pirate, the key used in this case will be a key constructed with the aid of a secret key and of the serial number read on the virgin DVD-R. To carry out the formatting using this algorithm, the data recorded on the original DVD are ~~chopped~~ divided up into blocks of 64 bits then formatted by the DES using a 56-bit key obtained from the serial numbers. 64-bit formatted or enciphered data packets are obtained at the output and are recorded by way of the recorder apparatus 5 on the DVD-R 4. If the

key consists of the serial number itself, the serial number will comprise 56 bits. However, the number of bits of the serial number is given by way of example. Indeed, it is possible to apply the invention to media
5 whose serial numbers have lengths of greater than or less than 56 bits. In this case, a truncation or a channel coding can be applied so as to bring these serial numbers to the correct length. If the key is, for security reasons, a function of the serial number,
10 it can be obtained as follows:

Given that NS is the serial number of the recording medium, and PS is the parameter stored in a secure manner in the compliant reading devices:

- NS and PS are concatenated so as to have a
15 word (NS/PS),

- a hash function is applied such as the function SHA-1 (standard of the National Institute of Standards and Technologies) and this results in the word SHA (NS/PS) which has a length of 64 bits, and

20 - this word is truncated so as to have a 56-bit word which will serve as key for the DES.

The length of the binary words NS and PS is not fixed, since SHA-1 does not necessitate a precise length for the input word. The function f accommodates
25 any length of serial number.

The DVD-R 4 thus copied licitly can be read by the reading device 2 and the original digital data are recovered using the corresponding decryption algorithm.

It is also possible to carry out the formatting
30 of the digital data to be duplicated by using a public-key algorithm such as the RSA algorithm. This public-key algorithm is an asymmetric algorithm which, when the public key is known, precludes easy copying of the formatted data during their reading by the reading
35 device 2.

Since the data located on the copy DVD-R do not have the same structure as the data of the original DVD, it is therefore not possible to recover them with a reading device other than a compliant reading device.
40 Moreover, if a bit-by-bit copy of the original DVD has

been made, the reading device of the present invention does not retrieve the original digital information and will not read the copy.

According to a further characteristic of the present invention, the method of copying can be preceded by a step of checking authorization to copy such as that described in French patent application No. 98 11860 filed on 23 September 1998 in the name of THOMSON multimedia and entitled "Protection contre la copie de données numériques stockées sur un support d'information" [Protection against the copying of digital data stored on an information medium]. This checking of authorization to copy is applied to an information medium comprising a first identification of a cipher of the digital data, a second identification of a watermark of digital data, a first determination of a first mark if it has been possible to identify the cipher and the watermark, a third identification of a type of the information medium, a second determination of a second mark if it has been possible to determine the first mark and if it has been possible to identify a determined type of information medium, a fourth identification of cryptographic signature data accompanying the digital data, a third determination of a third mark if it has been possible to determine the second mark and if it has been possible to identify a cryptographic signature datum and a first delivery of permission for digital copying of the digital data if it has been possible to determine the third mark.

All of the characteristics described in this French patent application are incorporated into the present patent application for carrying out the checking of authorization to copy.

In accordance with the present invention, the device 2 for reading the digital data which may be a DVD reader, a decoder, a CD reader or the like, comprises a formatting circuit 3 consisting essentially of an integrated circuit including all the means required for carrying out the algorithm chosen for the formatting and making it possible to store in an

unfalsifiable manner certain data such as a secret key or means for authorizing copying.

The embodiment described hereinabove is given by way of example and can be modified without departing
5 from the framework of the claims herein-enclosed.